

# QuickVet<sup>®</sup> Analyzer Diagnostic System

---

Material Safety Data Sheet for  
QuickVet<sup>®</sup> PT/aPTT Coag Combo<sup>™</sup>  
Version: September 18, 2017

The product covered here does not contain any hazardous chemical or other substances as defined under 29 CFR 1910. Nevertheless, certain information that some may consider pertinent to the promotion of safety is provided.

**Product** QuickVet<sup>®</sup> PT/aPTT Coag Combo<sup>™</sup>.

**Composition** The test kit contains polystyrene cartridges carrying IR-dried reagents as listed in the table below. Each cartridge is in a heat sealed pouch. A desiccant and disposable pipette are also included. No sharp objects are included.

REAGENT	WT. %
Hemoglobin	< 0.003
Actin	< 0.005
Cephaloplastin Reagent (Rabbit Brain)	< 0.0002
Buffer and Preservatives	< 0.0003
Stabilizers	< 0.0005
Recombinant Protein	< 0.0008
Synthetic Phospholipids	< 0.00002
Bovine Serum Albumin (BSA)	< 0.00009
Ellagic Acid	< 0.000002

**Identification of medical hazards** The cartridges containing IR-dried reagents and the plastic pipette present no foreseeable medical hazards, neither alone nor in combination with other kit components. All reagents are in solid form and under normal use there is no potential for exposure.

**First-aid measures** No special measures required.

**Precautions in case of fire** The product is not combustible. While the combustion by-products are not precisely known, the product's presence does not dictate protective measures beyond those of normal fire fighting activities.

**Handling, storage, and spillage** This product requires no special storage or handling other than refrigeration. It produces no noxious decomposition products.

**Abnormal reaction products** Contact with other chemicals does not produce noxious reaction products.

**Toxicology** Due to the packaging, unintentional ingestion through splattering during use is unforeseeable. Splattering can occur if good laboratory practices have not been applied. In case of ingestion, a physician should always be consulted.

**Disposal** The product, used or unused, can be disposed of using modalities normally used by the laboratory or veterinary practice for diagnostic devices. However, because of presence of blood products, disposal employing incineration modalities is preferred.

The information provided is general in nature.

In case of emergency contact:

Zoetis Denmark ApS  
Gammelgaardsvej 87C  
3520 Farum  
Denmark  
☎ +45 7020 7303  
FAX +45 7020 7304  
✉ SMB-INFO@zoetis.com  
🌐 www.quickvet.net